



194 707

STIC EIC 2100

Search Request Form

Today's Date:

7/5/06

What date would you like to use to limit the search?

Priority Date: 1/14/2004 Other:

Name Fred ElchivoyAU 2162 Examiner # 79719Room # 3B31 Phone 2-4034Serial # 10/756,874

Format for Search Results (Circle One):

☒ PAPER ☐ DISK ☐ EMAIL

Where have you searched so far?

☒ USP ☐ DWPI ☒ EPO ☐ JPO ☒ ACM ☐ IBM TDB☒ IEEE ☐ INSPEC ☐ SPI Other _____Is this a "Fast & Focused" Search Request? (Circle One) ☒ YES ☐ NO

A "Fast & Focused" Search is completed in 2-3 hours (maximum). The search must be on a very specific topic and meet certain criteria. The criteria are posted in EIC2100 and on the EIC2100 NPL Web Page at <http://ptoweb/patents/stic/stic-tc2100.htm>.

What is the topic, novelty, motivation, utility, or other specific details defining the desired focus of this search? Please include the concepts, synonyms, keywords, acronyms, definitions, strategies, and anything else that helps to describe the topic. Please attach a copy of the abstract, background, brief summary, pertinent claims and any citations of relevant art you have found.

Is this request for a BOARD of APPEALS case? (Circle One) YES ☐ NO ☒

ADJUSTING A NUMBER OF DATABASE REPLICAS BASED ON A DEFINED THRESHOLD VALUE:

- Monitoring operating condition associated with a database value
- associating a prestored threshold value associated with at least one operating condition
- Comparing operating condition with prestored threshold value
- adjusting number of database (Deleting or adding)

SEARCH PREP TIME: 93

TERMINAL TIME: 124

STIC Searcher LANCE SEACEYPhone 2-8666Date picked up 7/5/06Date Completed 7/5/06

Set	Items	Description
S1	25565490	(OPERAT???())CONDITION? ?) OR STATE? ? OR STATUS?? OR STAND- ING? ? OR PROGRESS??? OR PHASE? ? OR SITUATION? ? OR POSITION? ? OR MODE? ? OR STAGE? ?
S2	150723	(NUMBER? ? OR QUANTITY OR QUANTITIES OR AMOUNT? ? OR COUNT? ? OR SUM? ? OR TALLY OR TALLIES OR ITERATION? ? OR (HOW())MAN- Y)) (3N) (USER? ? OR OPERATOR? ? OR VIEWER? ? OR MARKETER? ? OR PARTICIPANT? ? OR CUSTOMER? ? OR CLIENT? ? OR BUYER? ? OR PUR- CHASER? ? OR
S3	6985	(AMOUNT OR QUANTITY OR (HOW()) (MUCH OR MANY))) (3N) (TRAFFIC - OR COMMUNICATION? ? OR INTERCHANG???)
S4	230990	CORRUPT??? OR COMPROMI??? OR FAILOVER OR FAILBACK OR FAIL?- ??() (OVER OR BACK)
S5	2139502	DATABASE? ? OR (DATA(W) (UNIT? ? OR BASE? ? OR BANK? ? OR S- ET? ?)) OR FILE? ? OR DBMS? ? OR RDB? ? OR DATASET? ? OR VLD- B? ? OR LDB? ? OR DATABANK? ? OR OODB? ? OR DB? ?
S6	117037	(S1 OR S2 OR S3 OR S4) (5N)S5
S7	4809	(MONITOR??? OR SCRUTINIZ????? OR AUDIT??? OR TRACK??? OR T- RAC??? OR WATCH??? OR LOG????? OR FOLLOW??? OR OBSERV?????) (5N-)S6
S8	695168	(PRESTOR??? OR PREDETERMIN??? OR STOR??? OR DETERMIN??? OR DEFIN????? OR ESTABLISH????? OR PREDEFIN????? OR PREDETERMIN??- ??? OR PREESTABLISH????? OR PRESCRI????? OR PRESET???) (3N) (THR- ESHOLD OR LIMIT????? OR SUFFICIENT?? OR LEVEL? ? OR EXCEED??? OR EXCESS???)
S9	197458	(S1 OR S2 OR S3 OR S4) (5N)S8
S10	18710	(BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR DUPLICAT? OR REP- LICA? OR SNAPSHOT?? OR SNAP()SHOT? ? OR CLON???) (3N)S5
S11	88413	(PORTION? ? OR PART? ? OR AREA? ? OR REGION? ? OR DESIGNAT- ??? OR GROUP??? OR SECTION??? OR DIVI????????? OR SUBDIVI????????? OR EXTRACT??? OR SEGMENT????? OR PARTIT????? OR ROW? ? OR CO- LUMN? ? OR TABLE? ? OR ARRAY? ? OR TILE? ? OR UNIT? ? OR BLOC- K? ?) (3N)S5
S12	16087516	ADJUST????? OR MODIF? OR EDIT? OR ALTER? OR CHANG? OR READJ- UST????? OR RECONFIGUR??? OR CONFIGUR????? OR ADAPT??????? OR CUS- TOMIZ????? OR CONVERS??? OR CONVERT??? OR RE()FORMAT??? OR MAN- IPULAT??? OR REPLAC? OR SUBSTITUT??? OR REVIS??? OR UPDAT??? - OR UP(W)DAT???)
S13	4478710	DELET??? OR ERAS??? OR ELIMINAT??? OR REMOV? OR PURG? OR R- ID? OR CLEAR? OR CLEAN? OR DISCARD???)
S14	14930422	ADD????????? OR APPEND OR APPENDING OR APPENDED OR ATTACH??? OR JOIN??? OR LINK??? OR ANOTHER OR SECOND??? OR EXTRA OR AUG- MENT??????? OR SUBSEQUENT??)
S15	9610	(S12 OR S13 OR S14) (5N) (S10 OR S11)
S16	4	S7 AND S8 AND S9 AND S15
S17	179	((S7 AND S8 AND S9) OR (S8 AND S9 AND S15)) NOT S16
S18	63	S17 AND (S5 OR BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR D- UPLICAT? OR REPLICAT? OR SNAPSHOT?? OR SNAP()SHOT? ? OR CLON??- ?) /TI
S19	41	RD (unique items)
S20	36	S19 AND (PY<2004 OR PD<20040114)
S21	7	(S17 AND (S5(10N) (BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR DUPLICAT? OR REPLICAT? OR SNAPSHOT?? OR SNAP()SHOT? ? OR CLON?- ??) (10N)NETWORK? ?)) NOT (S16 OR S20)
S22	0	AU=((ALTA F? OR ALTA F, F?) AND (RAVI K? OR RAVI, K?) AND - (REYNOLDS M? OR REYNOLDS, M?))
S23	12	AU=(ALTA F? OR ALTA F, F? OR RAVI K? OR RAVI, K? OR REYNOL- DS M? OR REYNOLDS, M?) AND S5 AND (BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR DUPLICAT? OR REPLICAT? OR SNAPSHOT?? OR SNAP()SH- OT? ? OR CLON???)

? show files

File 2:INSPEC 1898-2006/Jun W4
(c) 2006 Institution of Electrical Engineers
File 6:NTIS 1964-2006/Jun W4
(c) 2006 NTIS, Intl Cpyrght All Rights Res
File 8:Ei Compendex(R) 1970-2006/Jun W4
(c) 2006 Elsevier Eng. Info. Inc.
File 34:SciSearch(R) Cited Ref Sci 1990-2006/Jun W4
(c) 2006 Inst for Sci Info
File 35:Dissertation Abs Online 1861-2006/Jun
(c) 2006 ProQuest Info&Learning
File 56:Computer and Information Systems Abstracts 1966-2006/Jun
(c) 2006 CSA.
File 57:Electronics & Communications Abstracts 1966-2006/Jun
(c) 2006 CSA.
File 60:ANTE: Abstracts in New Tech & Engineer 1966-2006/Jun
(c) 2006 CSA.
File 65:Inside Conferences 1993-2006/Jul 05
(c) 2006 BLDSC all rts. reserv.
File 94:JICST-EPlus 1985-2006/Apr W1
(c)2006 Japan Science and Tech Corp(JST)
File 95:TEME-Technology & Management 1989-2006/Jul W1
(c) 2006 FIZ TECHNIK
File 99:Wilson Appl. Sci & Tech Abs 1983-2006/Jun
(c) 2006 The HW Wilson Co.
File 111:TGG Natl.Newspaper Index(SM) 1979-2006/Jun 22
(c) 2006 The Gale Group
File 144:Pascal 1973-2006/Jun W2
(c) 2006 INIST/CNRS
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 1998 Inst for Sci Info
File 636:Gale Group Newsletter DB(TM) 1987-2006/Jun 30
(c) 2006 The Gale Group
?

BIBLIOGRAPHIC
NPL/NPL
INVENTOR

4833504 NUMBER? ?
 579964 QUANTITY
 323676 QUANTITIES
 1682287 AMOUNT? ?
 654421 COUNT? ?
 323888 SUM? ?
 8670 TALLY
 1791 TALLIES
 128315 ITERATION? ?
 2157902 HOW
 2743811 MANY
 46931 HOW(W)MANY
 1448461 USER? ?
 795083 OPERATOR? ?
 50416 VIEWER? ?
 52519 MARKETER? ?
 394859 PARTICIPANT? ?
 899423 CUSTOMER? ?
 381237 CLIENT? ?
 179152 BUYER? ?
 24563 PURCHASER? ?
 708955 CONSUMER? ?
 20491 SHOPPER? ?
 1708049 INDIVIDUAL? ?
 592350 PERSON? ?
 776 ENDUSER? ?
 S2 150723 (NUMBER? ? OR QUANTITY OR QUANTITIES OR AMOUNT? ? OR
 COUNT? ? OR SUM? ? OR TALLY OR TALLIES OR ITERATION? ? OR
 (HOW()MANY)) (3N) (USER? ? OR OPERATOR? ? OR VIEWER? ? OR
 MARKETER? ? OR PARTICIPANT? ? OR CUSTOMER? ? OR CLIENT? ?
 OR BUYER? ? OR PURCHASER? ? OR CONSUMER? ? OR SHOPPER? ?
 OR INDIVIDUAL? ? OR PERSON? ? OR ENDUSER? ?)

1752 PRESTOR???
 48251 PREDETERMIN???
 2274308 STOR???
 5605895 DETERMIN???
 2329073 DEFIN?????
 2158683 ESTABLISH????
 26510 PREDEFIN?????
 49736 PREDETERMIN?????
 890 PREESTABLISH????
 240155 PRESCRI?????
 16451 PRESET???
 585757 THRESHOLD
 3306957 LIMIT?????
 838865 SUFFICIENT??
 5603644 LEVEL? ?
 506554 EXCEED???
 614618 EXCESS???
 1241688 BOUNDARY
 441507 BOUNDARIES
 8494 BRINK? ?
 853258 EDGE? ?
 3197885 POINT? ?
 16987 VERGE? ?
 307569 BASELIN???
 171858 BENCHMARK???
 1652187 BASE
 6989294 LIN???
 14724 BASE (W) LIN???
 59348 BENCH
 3514129 MARK???
 3432 BENCH (W) MARK???
 1608656 PROFIL???
 391897 PROTOTYPE???
 388329 IDEAL? ?
 9391973 MODEL? ?
 S8 695168 (PRESTOR??? OR PREDETERMIN??? OR STOR??? OR DETERMIN???
 OR DEFIN????? OR ESTABLISH???? OR PREDEFIN????? OR
 PREDETERMIN????? OR PREESTABLISH???? OR PRESCRI????? OR
 PRESET???) (3N) (THRESHOLD OR LIMIT????? OR SUFFICIENT?? OR
 LEVEL? ? OR EXCEED??? OR EXCESS??? OR BOUNDARY OR
 BOUNDARIES OR BRINK? ? OR EDGE? ? OR POINT? ? OR VERGE? ?
 OR BASELIN??? OR BENCHMARK??? OR BASE()LIN??? OR
 BENCH()MARK??? OR PROFIL??? OR PROTOTYPE??? OR IDEAL? ?
 OR MODEL? ?)

20/9/32 (Item 2 from file: 35)
DIALOG(R) File 35:Dissertation Abs Online
(c) 2006 ProQuest Info&Learning. All rts. reserv.

01293056 ORDER NO: AAD93-15916

ON CONCEPTUAL DESIGN OF ACTIVE DATABASES (DATABASES)

Author: TANAKA, ASTERIO KIYOSHI

Degree: PH.D.

Year: 1992

Corporate Source/Institution: GEORGIA INSTITUTE OF TECHNOLOGY (0078)

Director: SHAMKANT B. NAVATHE

Source: VOLUME 54/01-B OF DISSERTATION ABSTRACTS INTERNATIONAL.

PAGE 339. 182 PAGES

Descriptors: COMPUTER SCIENCE; INFORMATION SCIENCE

Descriptor Codes: 0984; 0723

An active database management system (DBMS) is a system with full database functionality plus the additional capabilities of **monitoring** the **state** of the **database** and executing some predefined actions when appropriate events are detected. Although this is a well-established research area, and a few commercial relational DBMSs already support some active capabilities, no support for conceptual modeling and design of active database behavior is currently provided to take advantage of the new capabilities. The current database design methodology forces the user to defer major modeling decisions concerning the active behavior of the database to late stages of the design process, where the semantics of the real-world situations are obscured by the intricacies of the implementation model.

This research addresses the conceptual design problem by incorporating active database behavior into the Entity-Relationship (ER) model, in the form of events and rules. The resulting Entity-Relationship-Event-Rule (ER) \mathcal{E} model provides an extended architecture of tools for assisting the database designer in the task of specifying, analyzing, and translating active behavior into executable data definition statements in specific relational DBMSs. Meta-behaviors are identified that automatically enforce invariant properties of the **model**, along with user-**defined** integrity constraints. A high-level Petri net, e/r-net, whose places are events, transitions are rules, and net inscriptions are (ER) \mathcal{E} schema definitions is proposed as an analysis tool for validating the active behavior design. A prototype implementation of the extended architecture is described that takes advantage of the meta-data about the design process generated during the schema translation.

The following benefits result from the extended data modeling and database design methodology: reduced database design and application development effort with the automatic generation of meta-behavior and translation of active behavior into executable DBMS language constructs; better control of the development of database applications by introducing precision in the specification of active behavior; and better quality of the overall design, with an interactive environment capturing the knowledge of application experts and automatically dealing with the DBMS constraints.

?

Set	Items	Description
S1	1638394	DATABASE? ? OR (DATA(W) (UNIT? ? OR BASE? ? OR BANK? ? OR S- ET? ?)) OR FILE? ? OR DBMS? ? OR RDB? ? OR DATASET? ? OR VLD- B? ? OR LDB? ? OR DATABANK? ? OR OODB? ? OR DB? ?
S2	44	((AUTONOMIC OR (SELF()MANAG????)) (3N)S1) AND (PY<2004 OR PD<- 20030114)

? show files

File 347:JAPIO Dec 1976-2005/Dec(Updated 060404)
(c) 2006 JPO & JAPIO

File 350:Derwent WPIX 1963-2006/UD,UM &UP=200642
(c) 2006 The Thomson Corp.

2/9/7 (Item 7 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2006 Institution of Electrical Engineers. All rts. reserv.

08531028 INSPEC Abstract Number: C2003-03-6160D-008

Title: A smarter DB2 [database automation]

Author(s): Lightstone, S.S.; Lohman, G.M.; Smith, B.F.; Horman, R.; Teng, J.

Author Affiliation: IBM Canada Toronto Lab., Ont., Canada

Journal: DB2 Magazine vol.7, no.4 p.32-41

Publisher: Miller Freeman,

Publication Date: 2002 Country of Publication: USA

CODEN: DBMAF5

Material Identity Number: G132-2002-004

Language: English Document Type: Journal Paper (JP)

Treatment: Practical (P)

Abstract: IBM puts DB2 on a path toward self maintenance that promises to help DBAs stay on top of their workloads. The DB2 SMART project aims to create technology for reducing human intervention and cost in DB2 operation. It builds on and extends existing self - managing technologies in DB2 and will result in a DB2 that can: Adjust every configuration parameter dynamically while the system is in use; expand and shrink memory usage, based on workload; automatically profile workloads and recommend and create indexes, partitioning, clustering, summary tables, and so on to improve performance; automatically detect the need for, estimate the duration of, and schedule maintenance operations such as reorganization, statistics collection, backup, copy, and rebind; observe actual performance and exploit that information to improve operations; recommend action when the performance isn't meeting the DBAs expectations and predict problems such as low memory or constrained disk space and notify someone by page or email in advance.

Subfile: C

Descriptors: data mining; database indexing; query processing; relational databases; resource allocation; transaction processing

Identifiers: autonomic computing; DB2 SMART project; self-managing technologies; configuration parameter; memory usage; partitioning; clustering; summary tables; maintenance operations; reorganization; statistics collection; backup; copy; rebind; constrained disk space

Class Codes: C6160D (Relational databases); C6120 (File organisation); C6130 (Data handling techniques); C6170K (Knowledge engineering techniques)

Copyright 2003, IEE

Set	Items	Description
S1	5668004	(OPERAT???())CONDITION? ?) OR STATE? ? OR STATUS?? OR STAND- ING? ? OR PROGRESS??? OR PHASE? ? OR SITUATION? ? OR POSITION? ? OR MODE? ? OR STAGE? ?
S2	44511	(NUMBER? ? OR QUANTITY OR QUANTITIES OR AMOUNT? ? OR COUNT? ? OR SUM? ? OR TALLY OR TALLIES OR ITERATION? ? OR (HOW()MAN- Y)) (3N) (USER? ? OR OPERATOR? ? OR VIEWER? ? OR MARKETER? ? OR PARTICIPANT? ? OR CUSTOMER? ? OR CLIENT? ? OR BUYER? ? OR PUR- CHASER? ? OR
S3	4299	(AMOUNT OR QUANTITY OR (HOW() (MUCH OR MANY))) (3N) (TRAFFIC - OR COMMUNICATION? ? OR INTERCHANG???)
S4	7484	CORRUPT??? OR COMPROMI??? OR FAILOVER OR FAILBACK OR FAIL?- ??() (OVER OR BACK)
S5	361156	DATABASE? ? OR (DATA(W) (UNIT? ? OR BASE? ? OR BANK? ? OR S- ET? ?)) OR FILE? ? OR DBMS? ? OR RDB? ? OR DATASET? ? OR VLD- B? ? OR LDB? ? OR DATABANK? ? OR OODB? ? OR DB? ?
S6	21930	(S1 OR S2 OR S3 OR S4) (5N) S5
S7	1010	(MONITOR??? OR SCRUTINIZ????? OR AUDIT??? OR TRACK??? OR T- RAC??? OR WATCH??? OR LOG????? OR FOLLOW??? OR OBSERV?????) (5N-) S6
S8	317171	(PRESTOR??? OR PREDETERMIN??? OR STOR??? OR DETERMIN??? OR DEFIN????? OR ESTABLISH????? OR PREDEFIN????? OR PREDETERMIN??- ??? OR PREESTABLISH????? OR PRESCRI????? OR PRESET???) (3N) (THR- ESHOLD OR LIMIT????? OR SUFFICIENT?? OR LEVEL? ? OR EXCEED??? OR EXCESS???)
S9	28352	(S1 OR S2 OR S3 OR S4) (5N) S8
S10	5447	(BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR DUPLICAT? OR REP- LICA? OR SNAPSHOT?? OR SNAP()SHOT? ? OR CLON???) (3N) S5
S11	63984	(PORTION? ? OR PART? ? OR AREA? ? OR REGION? ? OR DESIGNAT- ??? OR GROUP??? OR SECTION??? OR DIVI????????? OR SUBDIVI????????? OR EXTRACT??? OR SEGMENT????? OR PARTIT????? OR ROW? ? OR CO- LUMN? ? OR TABLE? ? OR ARRAY? ? OR TILE? ? OR UNIT? ? OR BLOC- K? ?) (3N) S5
S12	5189373	ADJUST????? OR MODIF? OR EDIT? OR ALTER? OR CHANG? OR READJ- UST????? OR RECONFIGUR??? OR CONFIGUR????? OR ADAPT????? OR CUS- TOMIZ????? OR CONVERS??? OR CONVERT??? OR RE()FORMAT??? OR MAN- IPULAT??? OR REPLAC? OR SUBSTITUT??? OR REVIS??? OR UPDAT??? - OR UP(W)DAT???)
S13	3260990	DELET??? OR ERAS??? OR ELIMINAT??? OR REMOV? OR PURG? OR R- ID? OR CLEAR? OR CLEAN? OR DISCARD???)
S14	6865122	ADD????????? OR APPEND OR APPENDING OR APPENDED OR ATTACH??? OR JOIN??? OR LINK??? OR ANOTHER OR SECOND??? OR EXTRA OR AUG- MENT????? OR SUBSEQUENT??)
S15	13722	(S12 OR S13 OR S14) (5N) (S10 OR S11)
S16	2	S7 AND S8 AND S9 AND S15
S17	90	((S7 AND S8 AND S9) OR (S8 AND S9 AND S15)) NOT S16
S18	46	S17 AND (S5 OR BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR D- UPLICAT? OR REPLICAT? OR SNAPSHOT?? OR SNAP()SHOT? ? OR CLON??- ?) /TI
S19	33	S18 NOT AD=(20030114:20060705)
S20	28711	((S7 AND S8) OR (S8 AND S9) OR (S9 AND S15) OR (S7 AND S9) OR (S7 AND S15) OR (S8 AND S15)) NOT (S16 OR S19)
S21	179	S20 AND (IC=(G06F-007/00) OR MC=T01)
S22	1	S21 AND (S5(10N) (BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR - DUPLICAT? OR REPLICAT? OR SNAPSHOT?? OR SNAP()SHOT? ? OR CLON?- ??) (10N)NETWORK? ?)
S23	1	(AU=(ALTA F? OR ALTA F, F? OR RAVI K? OR RAVI, K? OR REYNO- LDS M? OR REYNOLDS, M?) AND S5 AND (BACK?(3N)UP? ? OR BACKUP? ? OR COP??? OR DUPLICAT? OR REPLICAT? OR SNAPSHOT?? OR SNAP()- SHOT? ? OR CLON???) NOT (AD=(20030114:20060705) OR S16 OR S19 OR S22)

? show files

File 347: JAPIO Dec 1976-2005/Dec (Updated 060404)

(c) 2006 JPO & JAPIO

File 350: Derwent WPIX 1963-2006/UD, UM & UP=200642

(c) 2006 The Thomson Corp.

?

BIBLIOGRAPHIC
PATENT/PATENT
INVENTOR

1623727 NUMBER? ?
 438383 QUANTITY
 55570 QUANTITIES
 1106269 AMOUNT? ?
 127175 COUNT? ?
 136310 SUM? ?
 593 TALLY
 130 TALLIES
 3513 ITERATION? ?
 21108 HOW
 172869 MANY
 3056 HOW(W)MANY
 637154 USER? ?
 206829 OPERATOR? ?
 17449 VIEWER? ?
 151 MARKETER? ?
 8164 PARTICIPANT? ?
 73067 CUSTOMER? ?
 68018 CLIENT? ?
 5573 BUYER? ?
 6993 PURCHASER? ?
 37723 CONSUMER? ?
 841 SHOPPER? ?
 283691 INDIVIDUAL? ?
 251483 PERSON? ?
 10 ENDUSER? ?
 S2 44511 (NUMBER? ? OR QUANTITY OR QUANTITIES OR AMOUNT? ? OR
 COUNT? ? OR SUM? ? OR TALLY OR TALLIES OR ITERATION? ? OR
 (HOW()MANY)) (3N) (USER? ? OR OPERATOR? ? OR VIEWER? ? OR
 MARKETER? ? OR PARTICIPANT? ? OR CUSTOMER? ? OR CLIENT? ?
 OR BUYER? ? OR PURCHASER? ? OR CONSUMER? ? OR SHOPPER? ?
 OR INDIVIDUAL? ? OR PERSON? ? OR ENDUSER? ?)

9313 PRESTOR???
 918320 PREDETERMIN???
 2048145 STOR???
 963732 DETERMIN???
 620678 DEFIN?????
 171417 ESTABLISH????
 42779 PREDEFIN?????
 919077 PREDETERMIN?????
 388 PREESTABLISH????
 491327 PRESCRI?????
 276625 PRESET???
 183382 THRESHOLD
 525910 LIMIT?????
 439423 SUFFICIENT??
 953186 LEVEL? ?
 270261 EXCEED???
 244252 EXCESS???
 110315 BOUNDARY
 18047 BOUNDARIES
 82 BRINK? ?
 1000771 EDGE? ?
 1105852 POINT? ?
 1805 VERGE? ?
 4004 BASELIN???
 515 BENCHMARK???
 1576318 BASE
 2435002 LIN???
 4870 BASE (W) LIN???
 13766 BENCH
 266617 MARK???
 294 BENCH (W) MARK???
 218320 PROFIL???
 16368 PROTOTYPE???
 20546 IDEAL? ?
 127969 MODEL? ?
 S8 317171 (PRESTOR??? OR PREDETERMIN??? OR STOR??? OR DETERMIN???
 OR DEFIN????? OR ESTABLISH???? OR PREDEFIN????? OR
 PREDETERMIN????? OR PREESTABLISH???? OR PRESCRI????? OR
 PRESET???) (3N) (THRESHOLD OR LIMIT????? OR SUFFICIENT?? OR
 LEVEL? ? OR EXCEED??? OR EXCESS??? OR BOUNDARY OR
 BOUNDARIES OR BRINK? ? OR EDGE? ? OR POINT? ? OR VERGE? ?
 OR BASELIN??? OR BENCHMARK??? OR BASE()LIN??? OR
 BENCH()MARK??? OR PROFIL??? OR PROTOTYPE??? OR IDEAL? ?
 OR MODEL? ?)

16/5/2 (Item 2 from file: 350)
DIALOG(R) File 350:Derwent WPIX
(c) 2006 The Thomson Corp. All rts. reserv.

017207947 **Image available**
WPI Acc No: 2005-531564/200554
XRPX Acc No: N05-435160

Adjustment **method of database replicas in server of communication system, involves adjusting multiple copies of database , based on comparison between value representing monitored operating condition and prestored threshold value**

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: ALTAF F; RAVI K; REYNOLDS M J

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 20050154697	A1	20050714	US 2004756874	A	20040114	200554 B

Priority Applications (No Type Date): US 2004756874 A 20040114

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 20050154697	A1	12	G06F-007/00	

US 20050154697 A1 12 G06F-007/00

Abstract (Basic): US 20050154697 A1

NOVELTY - The method involves **monitoring operating conditions** associated with a **database** , and accessing a **prestored threshold value** associated with the **operating conditions** . A value representing the monitored **operating conditions** is compared with the **prestored threshold value**, and multiple **copies** of the **database** is **adjusted** accordingly.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

(1) article comprising machine readable storage medium containing instructions for **adjusting multiple database replicas** ;

(2) apparatus for **adjusting multiple database replicas** ; and

(3) system for **adjusting multiple database replicas** .

USE - For **adjusting multiple database replicas of database** in server, using desktop computer, laptop computer, mainframe computer, portable electronic device and internet appliance connected to network such as internet, local area network (LAN), wide area network (WAN) and intranet, in communication system used in company.

ADVANTAGE - Enables **adjusting multiple database replicas** that are accessible based on **defined threshold value**, effectively thereby reducing burden of managing databases reliably.

DESCRIPTION OF DRAWING(S) - The figure shows a flowchart illustrating the **adjustment of the database replicas** .

pp; 12 DwgNo 2/4

Title Terms: ADJUST; METHOD; DATABASE; REPLICA; SERVE; COMMUNICATE; SYSTEM;
ADJUST; MULTIPLE; COPY; DATABASE; BASED; COMPARE; VALUE; REPRESENT;
MONITOR; OPERATE; CONDITION; THRESHOLD; VALUE

Derwent Class: T01

International Patent Class (Main): G06F-007/00

File Segment: EPI

?

Set	Items	Description
S1	361156	DATABASE? ? OR (DATA(W) (UNIT? ? OR BASE? ? OR BANK? ? OR S- ET? ?)) OR FILE? ? OR DBMS? ? OR RDB? ? OR DATASET? ? OR VLD- B? ? OR LDB? ? OR DATABANK? ? OR OODB? ? OR DB? ?
S2	4	((AUTONOMIC OR (SELF()MANAG????)) (3N)S1) NOT AD=(20030114:- 20060705)

? show files

File 347:JAPIO Dec 1976-2005/Dec(Updated 060404)
(c) 2006 JPO & JAPIO

File 350:Derwent WPIX 1963-2006/UD,UM &UP=200642
(c) 2006 The Thomson Corp.

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

comparing operating condition and threshold v

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results **31 - 40** of about **2,290,000** for **comparing operating condition and threshold value and adjust**

[\[PDF\] Autonomic Provisioning of Backend Databases in Dynamic Content Web ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

high **threshold value** (HighSLAThreshold) to detect immi- ... quest to **adjust** the number of **databases** to the proper number. of **databases** for this application ...

www.eecg.toronto.edu/~amza/papers/icac.pdf - [Similar pages](#)

[\[PDF\] Business Strategy Report](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

owning and **operating** complex systems like Oracle 10g and SQL Server only ... how Oracle **Database** 10g and Microsoft SQL Server really **compare** across the ...

www.oracle.com/database/docs/edison10gr2vsss20051.pdf - [Similar pages](#)

[Student Abstracts: ORNL - Engineering](#)

One of the data development efforts is to **adjust** Colonias boundaries in coordination ... a simple single-**threshold value** to eliminate the background image. ...

www.scied.science.doe.gov/scied/Abstracts2004/ORNLEng.htm - 137k -

[Cached](#) - [Similar pages](#)

[Jon Shead: Survey Results for Australian Managers](#)

Average **Value** Added Across all Managers. Results since inception in the **database** are a meagre 0.1% pa above the performance **threshold**. ...

www.ssga.com/library/resh/jonsheadsurveyresultsausmgrs20041101/page.html - 17k -

[Cached](#) - [Similar pages](#)

[Jon Shead: Survey Results \(Wholesale\) for Australian Managers](#)

Average **Value** Added Across all Managers. Results since inception in the **database** are a 0.1% pa below the performance **threshold**. Appendix: Comment on Data ...

www.ssga.com/library/resh/jonsheadsurveyresults20050907/page.html - 19k -

[Cached](#) - [Similar pages](#)

[Rahm, Erhard: Goal-oriented performance control for transaction ...](#)

Hence, a high CPU **threshold value** (eg, 98%) should be used. To better **compare** the dynamic control approach (98%) with a static MPL usage, we summarize some ...

lips.informatik.uni-leipzig.de/pub/1997-2 - 57k - [Cached](#) - [Similar pages](#)

[General Glossary of Terms](#)

A **comparison** of the as-built and reference IPVs for the building can be made. ...

Threshold Limit Value (TLV): The limit of an environmental **conditions** to ...

www.bwk.tue.nl/fago/hensen/courseware/ref_material/ref_glossary.htm - 185k -

[Cached](#) - [Similar pages](#)

[Center for Health Statistics Research](#)

The receiver **operating** curve, which plots the various conjunctions of true positive and predictive rates as the **threshold value** changes, is also used to ...

www.sph.unc.edu/chsr/Research%20Projects/project2_bottom.htm - 92k -


[Cached](#) - [Similar pages](#)

[The DXL Calscan heel densitometer: evaluation and diagnostic ...](#)

Adjusting for the distribution of ages seen in our 140 subjects, ... As with all T-scores, the

exact **threshold values** depend on the reference range. ...
bjr.birjournals.org/cgi/content/full/79/940/336 - [Similar pages](#)

[ipMonitor :: Monitor a Specific Condition on a UNIX-Based System ...](#)
Comparison of the **value** retrieved with a **threshold** of 70% utilization and ... Net-SNMP:
Monitor a Disk Drive on a Unix-Based **Operating System** (Linux, ...
support.ipmonitor.com/tutorials/ 87e850d80ba04a149745898e31ccb7c9.aspx - 22k -
[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

comparing operating condition and tl

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

Autonomic Provisioning of Backend Database:

[Advanced Search](#)
[Preferences](#)**Web** Results 111 - 120 of about 18,300 for **Autonomic Provisioning of Backend Databases in Dynamic Cor****Net management's new autonomy**Veritas closed 2002 by announcing it would acquire **server provisioning** ... that will initially manage hosts running **Web**, application and **database servers**. ...www.networkworld.com/supp/ii2003/0224iinetman.html - 70k - [Cached](#) - [Similar pages](#)**[PDF] UK Role in Open Grid Services Architecture**File Format: PDF/Adobe Acrobat - [View as HTML](#)**web** service invocation, of registration and discovery can be **dynamic**. ... interacts with a **web server**, which in term interacts with **backend databases** and ...www.nesc.ac.uk/teams/UK_OGSA_v0.7_12Mar02.pdf - [Similar pages](#)**[PDF] Microsoft PowerPoint - Software Components for the On Demand ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Documents Messaging. **Web**. **Content**. Learning. **Content**. Workflow. MS Office & Windows ... **Provisioning**. Agent. Local. **Database**. Local App. **Server** ...www.econ.kuleuven.be/eng/tew/academic/liris/ education/BlueAcademy/Software%20Components%20for%20the%20On%... - [Similar pages](#)**[PDF] ADEPTS: Adaptive Intrusion Response using Attack Graphs in an E ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)For example, in order to corrupt the. data in the **backend database server**, one may need to. exploit a vulnerability in the front-end **web server**. The ...

shay.ecn.purdue.edu/~dcs/ Publications/ papers/adepts_dsn05_cameraready.pdf -

[Similar pages](#)**[PDF] Towards an Autonomic Cluster Management System (ACMS) with Reflex ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Cluster Load Balancing designed to provide fail-over. support for **back-end** applications and services, such as. provided by **database servers**. ...isd.gsfc.nasa.gov/Papers/DOC/Cluster.pdf - [Similar pages](#)**[PDF] Open Source, Open Standards and Linux Adoption in Government World ...**

File Format: PDF/Adobe Acrobat

Database Servers. Mail / Apps **Servers**. **Web Servers**. Terminal **Servers** ... Centrally manage, **provision** and deploy key business applications/data to wide range ...www.sj-net.jp/wst/presentation/fisher.pdf - [Similar pages](#)**[PPT] IBM Systems Group 2003 IT Analyst Forum**File Format: Microsoft Powerpoint - [View as HTML](#)**Server** consolidation; HS20 for edge and **Web** serving; HS40 for small to mid-sized **databases**, ERP application and interface **servers**, consolidation of other ...csis.pace.edu/~lixin/pdfDownload/ BladeCenterCustomer102404.ppt - [Similar pages](#)**Enterprise Networks and Servers Insights - FindTech Insights**The hackers broke directly into two hosted **Web servers** running Microsoft Internet ... access control, **dynamic Web content**, non-HTTP application support and ...www.findtechinsights.com/.../ catalog,FINDTECHINSIGHTS/insightListings.htm - 659k - [Cached](#) - [Similar pages](#)

[PDF] [Microsoft PowerPoint - SunHPCJune03](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Changes to **Web** Services to support. 'Grid Services'. • **Dynamic** Services ... Provide the infrastructure for utility & **autonomic** computing ...


www.sun.com/.../edu/events/archive/hpc/

2003presentations/heidelberg/GRID03_Steven_Newhouse.pdf - [Similar pages](#)

[MIDLAB - Middleware Laboratory](#)

On Event Routing in **Content**-Based Publish/Subscribe through **Dynamic** Networks ... As an example, in three tiers systems, the **backend servers** are autonomous ...

www.dis.uniroma1.it/~midlab/publications.php?srctype=TYPE&srckey=inproceedings - 134k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [Next](#)

Autonomic Provisioning of Backend

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google